STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION



Petition for permission to make a major change in crossing protection, or to install new protection under 92 Illinois Administrative Code 1535.400 (d).

11

X-12024 T03-2041

Illinois Commerco Commission FIAIL SAFIETY SECTION

August 27, 2003 Date:

	LINOIS COMMERCE COMMISSION:	
The petitio	ner Norfolk Southern Railway Company	shows
(1)	That it is a railroad company operating a line of railroad in the State of Illino	ois.
(2)	That petitioner proposes and hereby makes application for authority to make protection, or to install new protection, under 92 Illinois Administrative Cootthis Commission.	e a major change in crossing le 1535.400 (d) adopted by
(3)	That the location of the crossing, nature of protection now established and pand other pertinent facts in connection therewith, are set forth in the statement of this petition.	roposed to be established, nt attached to and forming
(4)	That petitioner's reasons and purpose, with reference to its said proposal are	to:
	Modification of Grade Crossing Warning Devices requested by Illinois Con	mmerce Commission
	at: Third North Street in Mt. Olive, Macoupin County, Illinois, DOT: 480	074P, MP. D-445.51
	File No. 061-04.436	Project No. 04,0391
(5)	That the facts set forth in this petition and in the statement and plans or plats them, true and correct to the best of petitioner's knowledge and belief.	attached thereto, are, all of
the aforesa	ORE, the petitioner prays that the Commission will, if deemed desirable aid matter for hearing, and that the Commission enter an order or adopt nting authority for the making of the said proposed changes in or addition	at resolution consenting
	Norfolk Souther	ern Railway Company
	ByR. H. Ray Highway	y, Administrator Grade Crossings
	omas W. Ambler torney for Petitioner)	
	Southern Corporation Commercial Place	

(Attorney's Address)

Norfolk, VA 23510-2191

DOCKETED

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).

Name of Railroad Company	Norfolk Southern Railway	Company	
2. Crossing Number	480 074P		
3. Village or City	Mt. Olive		· ·
4. Name of Street or Highway	Third North Street		
5. Public Agency Maintaining Highway	yCity		
6. Protection now established:			
Automatic Flashing Light Crossin	g Signal with Bell.		
	·		
			·
7. Protection desired:		g: 1 :1 G	- ID 11
Modify grade crossing warning de	evices to Flashing Light Crossing	Signals with Gates	and Bell
Controlled by Constant Warning	<u> Fime Detection Equipment.</u>		
8. Number of main tracks One	Other tracks	N One	
O. Number of passenger movements:			
6 a.m. to 6 p.m. None	6 p.m. to 6 a.m.	None	-
10. Number of freight train movements:			
6 a.m. to 6 p.m. Seven	6 p.m. to 6 a.m.	Nine	-
1. Approximate number of switch mov	ements:		
6 a.m. to 6 p.m. One	6 p.m. to 6 a.m	One	-
2. Maximum speed of trains at crossing	g on each track in each direction:		
North/East 60 M.P.H.			
South/West 60 M.P.H.			
3. Passenger platforms served by tracks			

14. Where automatic signals or gates are proposed, approximate number of train or engine movemedaily which would cause false indications or operation:	ents
None	
15. Nature and approximate amount of street or highway traffic over crossing:	
100 AADT	
16. In addition to the information listed hereinbefore in Form 3, attach a track plan or plat of the procrossing. This plan should show:	posed
(a) Width and surface of highway.	
(b) Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing.	
(c) Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed.	ž.
(d) Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any).	
(e) Show the length of each operating track section within the control limits of the crossing protection and its function.	
ADDITIONAL INFORMATION	
Drawing attached for question no. 16	
	·
	<u> </u>
	· · · · · · · · · · · · · · · · · · ·
	-

(File Original and Two Duplicates)

VERIFICATION

I,	R. H. Ray	_, first being	ng duly sworn upon oath depose and say that I	am
	Administrator – Highway Grade Crossings	, of _	Norfolk Southern Railway Company	_, 8
cont	ringinia corporation; that I have read the ents thereof; that said contents are true in substruction and belief, and as to those, I believe sa	stance and in	foregoing petition by me subscribed and know in fact, except as to those matters stated upon true.	w the
			2.11.13	
			Administrator - Highway Grade Crossing	<u>28</u>
Subs	cribed and sworn to before me this27			
day	of <u>August</u> 20 <u>03</u> .			
ا	Notary Public (Georgia) or Witness			

My Commission Expires: __



Detailed Estimate for Grade Crossing Warning Devices

City/State: MT. OLIVE, IL

Road: THIRD NORTH ST.

MilePost: D-444.51

DOT/AAR: 480074P

State Proj. No.:

County: MACOUPIN

S&E Proj. No.: 04.0391

AFE: F01621

Man Days: 76

File Number: 061-04.436

Purchases - Other

Meals and Lodging:

\$6,290.00

Rental of Equipment:

\$13,760.00

(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 19 Days)

Construction Supervision Vehicle:

\$260.00

Contingencies:

\$570.00

Purchases - Other Total:

\$20,880.00

*** Material and Additives***

Material Cost:

\$62,950.00

Sales and Use Tax:

\$3,150.00

Material Handling Freight:

\$5,980.00

Material Total:

\$72,080.00

Labor and Additives

Labor Cost:

\$16,190.00

(4 man crew at \$852.00 a day for: 19 days)

Payroll Tax & Overheads:

\$14,020.00

Preliminary Engineering:

\$6,960.00

Construction Supervision:

\$4,570.00

Labor Total:

\$41,740.00

Subtotal:

\$134,700.00

Credit:

(Salvage/Scrap)

\$0.00

Project Total:

\$134,700.00

Estimated on: 15-Aug-03

Estimated by: ndr3j

Estimate valid for 1 year from date of estimate

Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

	AVI O TM
City:	
Road:	THIRD NORTH ST.
Milepost:	D-444,51
Drawing Number.	BKDS44451
State Project Number:	
County:	MACOUPIN
A A R Number:	480074P
Project Number:	04.0391
File Number:	061-04.436
A F E Number:	F01621
Store Number:	06829
Supervisor:	L.W. HIMSTEDT
Tax Code:	1200
Vendor to supply the fo	Vendor to supply the following copies after pricing:
1 Set - Material Mana 2 Sets - with plans sh 1 Set - S&E Gen. Sup	Set - Material Management with original invoice Sets - with plans shipped in car with material Set - S&E Gen. Supt. Construction w/ copy of invoice

15-Aug-03

Locati	Location: MT. OLIVE		IL S&EF	S&E Proj. No.: 04.0391	AFE No.: F01621	Drawing No.: BKE	BKDS44451				Page 1/ 5
Store	Store No.: 06829		P.O.1	P.O. Number:	Date Required: Date 5	Date Shipped:		Vendor:		gnal Engine	SW Signal Engineering Company
Qty.	Class-Item-CD	5	Price per Item	Total Price	Item Description	Quantity Shipped	Dat	Quantity Installed Date Date Quan.	stalled Date Quan.	Quantity Returned (Credit)	Special Instructions
ю	670-360693-4	Æ	\$4.82	\$14.46	AAR/DOT NUMBER PLATE/DECAL, ORDER 3 PER PROJECT. 60 DAY LEAD TIME. SUPPLIED BY STRAN	-					
2	670-001321-4	EA	\$246.66	\$493.32	ARM, GATE FIBERGLASS-ALUMINUM 17-24 FT., L&W OR US&S OR SAFETRAN 076600-240017 OR	/OR					
2	670-119241-4	EA	\$30.60	\$61.20	ARRESTOR, LIGHTNING HEAVY DUTY CLEAR VIEW SAFETRAN 022585-1X						
13	105-871901-4	a a	\$154.22	\$2,004.81	BATTERY, GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS	.25					
_	670-503047-4	₫	\$185.75	\$185.75	BELL, CROSSING ELECTRONIC GENERL SIGNAL, EB-3-360-5 CR 02-044350	3-3-					
2	670-980689-4	Æ	\$63.71	\$127.41	BRACKET HIGH WIND, (RIGID 3'), WIG- 191036, WALRUS TUSK TYPE	SUS					
2	670-561375-4	EA	\$1,201.20	\$2,402.40	BRACKET, GATE SAVER, NEG385102GS, SPRING LOADED SWING AWAY ADAPTER FOR FIBERGLASS/ALUMINUM GATES, USE WITH GATE 28' AND LESS	- -					
300	465-292862-4	<u> </u>	\$1.00	\$300.87	CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 SOLID TINNED CONDUCTOR						
300	465-292929-4	느	\$3.00	\$899.58	CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE TO MEET NS CORP. SPEC. FOR SIGNAL	ABLE					
300	465-939422-4	<u>L</u>	\$2.56	\$767.55	CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL	ı					
200	465-791835-4	ᇤ	\$1.96	\$391.60	CABLE, UG AC ENTRANCE 3C#6-7X OKONITE FMPF-L 094-078 TR W/G 1 X 8 7X W010 BRZ TAPE 600V PRODUCT CODE 206-11-6070						
80	165-544477-4	ᇤ	\$2.00	\$159.65	CONDUIT, 4"x10" PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4	TOR					
2	670-090450-4	ā	\$49.62	\$99.25	CONNECTOR, WELDED FAR RAIL HARMON A1000-2W	Λ					
7	670-486646-4	E	\$40.66	\$81.32	CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W	M		-			
										-	

SEAL NUMBER

CAR NUMBER

APPROVED BY RAILROAD

APPROVED BY STATE

Page 2/ 5	ng Company	Special Instructions															-
	SW Signal Engineering Company	Quantity Returned (Credit)															
	SW Sig	ed Date Quan.								-	-						
	Vendor:	Quantity Installed Date Date D Ouan. Quan.															
1451		Oual Date Quan.															
BKDS44451		Quantity Shipped															
21 Drawing No.:	Date Shipped:		SATE STRAN S-MECH IUB, SUPPORT ARMS	SHT ASSY. 18 OZ. ==TO COVER 2	ION 11" X 4", GATE	ION 6" X 6", MAST	RIS AND CLEANING	Oic	ED ON TRUCK LOAD	"ASSEMBLED	AFETRAN 8V617-1200	'S INCLUDES 8 GRD SHOTS. ERICO SBK206	JIRED X'ING P'CKAGES. (8EA) TAPE, (GS, GLUE, 100 EA RKING PAINT ETC	1W IND 20" BKGRD, 484XNS	ID. 20" BKGRD, FLX-12	BAY 18S11/1SC CLEAR	
1 AFE No.: F01621	Date Required:	Item Description	COUNTERWEIGHT PKAGE, 17-24/GATE STRAN S- MECH ONLY, STAINLESS, TO INCLUDE HUB, SUPPORT ARMS	COVER, FOR 1 WAY FLASHING LIGHT ASSY. 18 OZ BLACK VINYL COATED NYLON. ====TO COVER 2 LAMPS====	DECAL, X'ING SIGNAL MALFUNCTION 11" X 4", GATE MOUNT	DECAL, X'ING SIGNAL MALFUNCTION 6" X 6", MAST MOUNT	DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING XING EQUIPMENT CONTAINER	FCC LICENSE FOR MONITOR/RADIO	FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST	FOUNDATION, DIXIE, S-2 GATE 5'6" ASSEMBLED	INDUCTOR, SIMULATED TRACK SAFETRAN 8V617-1200	KIT, GROUNDING ASSY FOR AL I/S INCLUDES 8 GRD RDS,200#4WIRE,12 4 WIRE ONE-SHOTS. ERICO SBK206	KIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES. WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS, P'GUM PAINT, SLEEVES, TAGS, GLUE, 100 EA WHITE TAGS, INE CAN BLUE MARKING PAINT ETC	LAMP ASSY, 4" GRD. MAST MTG. 1W IND. 20" BKGRD, FLX-12 W/BULB S'TRAN #042003-484XNS	LAMP ASSY, 5" MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB STRAN #042003-487XNS	LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE	
S&E Proj. No.: 04.0391	P.O. Number:	Total Price	\$1,676.76	\$139.59	\$2.18	\$1.63	\$361.26	\$281.44	\$1,023.40	\$763.37	\$39.86	\$292.81	\$256.93	\$490.26	\$1,814.18	\$50.60	
IL S&EP	P.O. N	Price per Item	\$838.38	\$34.90	\$0.73	\$0.54	\$361.26	\$281.44	\$255.85	\$381.69	\$39.86	\$292.81	\$256.93	\$490.26	\$907.09	\$8.43	
		5	EA	EA	EA	EA	EA	EA	EA	ËA	Æ	ЕĀ	EA	E E	EA	Ą	-
Location: MT. OLIVE	Store No.: 06829	Class-Item-CD	670-793404-4	670-760012-4	670-080337-4	670-077544-4	670-986650-4	670-000004-4	670-000003-4	670-015231-4	670-927262-4	670-477991-4	670-123298-4	670-745798-4	670-764166-4	165-643547-4	
Location	Store N	Q.ty.	7	4	က	ю	*-	-	4	2	-	_	· ·		2	ဖ	

SEAL NUMBER

CAR NUMBER

APPROVED BY RAILROAD

APPROVED BY STATE

3			S&E Proj. No.:	i, No.: 04.0391	AFE No.: F01621	Drawing No.: BK	BKDS44451				() () () () () () () () () () () () () () omography
Location	Location: Mil. ULIVE			· ·	Date Required: Da	Date Shipped:		>	andor :	SW Sign	al Engineer	Vendor: SW Signal Engineering Company
Store	Store No.: 06829		P.O. Number:	mber:				Quantit	<u>ta</u> -		Quantity	Cico
d	() () () () () () () () () ()	=	Price per Item	Total Price	Item Description	Quantity Shipped	ntity Date ped Quan.		Date Quan.	Date Quan.	Returned (Credit)	Instructions
City A	670-440826-4	5 A	\$1.01	\$4.05	LINK, SAFETRAN 024620-1X INSL TESTING COMP 1 IN CENTER SIGNAL CIRCUITS	N N						
	<u></u>	B	\$15.62	\$62.47	LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE TO PRIVATE KEYWAY D456 AND STAMPED "NS SIG"	ALIKE SIG"						
-		EA	\$1,084.13	\$1,084.13	MAST, 5" ALUMIMUM (0&0) FOR LIGHT UNIT AND BRACKET WITH DBL. JCT. BOX BASE #070519-203X-2	D :03X-2						
	1 670-637778-4	EA	\$1,055.55	\$1,055.55	MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. S'TRAN P# 070519-11AX.	вох						
		E	\$182.36	\$182.36	MAST, SIDELIGHT BRACKET F/5"MT. HARMON @225834- XXX, SAFETRAN 041442-26X,	@225834-						
		<u></u>	\$2,932.81	\$5,865.62	MECHANISM, GATE MODEL S40, WITH CONTACT HEATER, COMPLETE W/RELAY S'TRAN # 074000-W00090	CT 30-W00090		-				
ļ	-+-	<u></u>	\$57.98	\$231.90	PACKAGE, HARDWARE SIGN 5 IN MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR	, SERRIMI						
		_	\$9.49	\$9.49	PADLOCK, SAFETRAN PART NO. 030399-29X SCREW TYPE FOR CIR CONTROLLER AND BTY. BOX	SCREW						
=	7 255-646607			\$8.43	PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X	-8 OR				·		
	1 670-514605-4	4 A	46.45	•		NOM						
	1 670-555609-4	4 EA	\$41.11	\$41.11	PLUG @706							
	_ -		\$308.00	\$308.00	PROT EPD12	7						
\	700708-001			610430	REEL, CABLE DISPOSABLE FOR CROSSING SIGNAL DACKAGES	SIGNAL						
	5 465-002899-4	4 EA	A \$20.88		2	16031-00						
Ì		+-	538.50	\$38.50					-			
l	1 6/0-/42030		_		RELAY RACK, SWING, FARADAY SELTER FOR ONE	ONE					:	
	1 670-456936-4		EA \$150.00							_		
l												

CAR NUMBER

SEAL NUMBER

APPROVED BY STATE

APPROVED BY RAILROAD

Locati	Location: MT. OLIVE		IL S&EP	S&E Proj. No.: 04.0391	1 AFE No.: F01621 Drawing No.: BKDS44451			Page 4/ 5
Store	Store No.: 06829		P.O. N	P.O. Number:	Date Required: Date Shipped:	Vendor:	SW Signal Eng	SW Signal Engineering Company
Qt Y	Class-Item-CD	5	Price per Item	Total Price	Quantity Date Scription Shipped Quan.	antity Installe Date Quan.	Date Returned Ouan. (Credit)	ty Special Special (t) Instructions
-	670-707995-4	E	\$356.29	\$356.29	RELAY, TYPE B1, NEV LINE, 900 OHMS, 008 AMPERES GRS A62-308 OR SAFETRAN @400003			
-	670-391911-4	EA	\$5,329.57	\$5,329.57	SEARII AUTOMATED INSPECTOR SYSTEM KIT, w/ 1- iLOD,1-BSX, 2-GTS, 2- MTSS, 1-GFT, 1-VHFC, 2- RECORDER INTERFACE MODULE, 1- ECHELON CONNECTOR			
_	670-066502-4	Ä	\$7,006.00	\$7,006.00	SHELTER, W/FARADAY, W/GENERATOR CONNECTION, BARE 6X6 ALUMINUM, SAFETRAN P/N 058400-66-78B, W/ADJ. PIERS			
7	670-586967-4	БĀ	\$34.74	\$69.49	SHUNT COVER W/LAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT			
2	670-652773-4	Æ	\$470.56	\$941.12	SHUNT, MULTI-FREQ. #62775-1543 SAFETRAN NARROW BAND			
2	670-806648-4	A A	\$56.42	\$112.84	SIGN, X-BUCK, LESS HARDWARE, SAFETRAN 035200-X CR 02-490546			
73	670-751511-4	Ē	\$35.58	\$71.17	SIGN, "1" TRACK, LESS HARDWARE SAFETRAN# 035207- 1X			
7	670-006438-4	E	\$10.54	\$21.08	TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IL., AL. 035200-555X			
	670-330382-4	뭅	\$10.75	\$10.75	TAPE, THOR 3" DURATEC, ORANGE 1000' LENGTHS. "WARNING STOP DIGGING"			
5	670-478560-4	EA	\$19.47	\$97.35	TERMINAL BLOCK, ERICO 4 POST P/N B2700A2C1WH W/HARDWARE LESS LIGHTNING ARRESTOR			
_	165-917984-4	E	\$4.22	\$4.22	TERMINAL, TEST, TYPE B GRS A62-515 OR HARMON @32118-001 OR			
_	610-065626-4	EA	\$16.66	\$16.67	ULTRA-TECH 15206-01 CONNECTIVITY BLOCK FOR GRS B1 RELAY			:
-	670-007238-4	EA	\$137.14	\$137.14	UNIT, THE INSTALLATION AND WIRING OF A DEVICE WHICH REQUIRE A MINIMUM OF FOUR WIRE CONNECT-			
		-						

APPROVED BY STATE

APPROVED BY RAILROAD

-	
CAR NUMBER	

SEAL NUMBER

APPROVED BY RAILROAD

:	1	_	II SEPP	SE Proi No.: 04.0391	AFE No.: F01621	Drawing No.:	BKDS44451	451))) -
Location.	Location: M1. OLIVE			DO Number	Date Required:	Date Shipped:			Vendor	SW Sig	nal Enginee	Vendor: SW Signal Engineering Company
Store No	Store No.: 06829	ļ	5					Qua	Quantity Installed	led	Quantity	
Ą	Class-Item-CD UI		Price per Item	Total Price	Item Description	<u> </u>	Quantity	Date Quan.	Date Quan.	Date Quan.	Returned (Credit)	Special
-					COMPLETE CAS TABANAY COMPLETE (CCP3000D2	300002						
1 6	670-403183-4 EA	Ę	\$24,436.00	\$24,436.00	WIRED FACE, 5X6 FAREDAT, COM LETTINGS SINGLE SINGLE THE X20 AMP SSCCIII, 2 ISL MOD, 1 SAFTRAN COM A COMPANION SINGLE A COMPANION COM	FTRAN						
			•		SAFTRAN	-	-	-				
					P/N T15383, USE WITH I/S 670-786834-4							
					WRENCH, TEST POST TYPE B DWG 55393-3, GR.1	3R.1		_				
	450-986008-4	Æ	\$7.35	\$7.35								

Total Material \$62,946.43